



U.S. Department of Justice

Office of Justice Programs

National Institute of Justice

Washington, D.C. 20531

Brandon Bertsch
General Manager
Oregon Ballistic Laboratories, LLC
2873 22nd Street, SE
Salem, OR 97302

Notice of NIJ-approved Laboratory Status

Laboratory: Oregon Ballistic Laboratories, LLC

Scope: NIJ 0101.07, Ballistic Resistance of Body Armor

NIJ 0101.06, Ballistic Resistance of Body Armor, Section 7, Ballistic Test Methods

NIJ 0101.06, Ballistic Resistance of Body Armor, Section 6, Hard Armor

Conditioning Protocol

NIJ 0101.06, Ballistic Resistance of Body Armor, Section 5, Flexible Armor

Conditioning Protocol

NIJ 0115.00. Stab Resistance of Personnel Body Armor

Expiration: **December 31, 2024**

Dear Mr. Bertsch:

The National Institute of Justice hereby informs you that your laboratory's status as an NIJ-approved laboratory for testing in accordance with the scopes related to NIJ Standard 0101.06 and NIJ Standard 0115.00 identified above has been extended until the date listed. Furthermore, until a complete review can be conducted for the revised ballistic body armor program associated with NIJ Standard 0101.07 and NIJ Standard 0123.00, your laboratory is also provisionally recognized as an NIJ-approved laboratory for testing in accordance with NIJ Standard 0101.07 until the date listed per your laboratory's recent accreditation by the National Voluntary Laboratory Accreditation Program (NVLAP).

Your laboratory will continue to be recognized on NIJ's list of approved laboratories, which is made available at <https://cjtec.org/compliance-testing-program/nij-approved-test-laboratories/>. As an NIJ-approved laboratory, you are authorized to conduct compliance testing of ballistic-resistant body armor and in accordance with the standards listed above. All terms and conditions noted in your signed NIJ Compliance Testing Program Laboratory Application and Agreement are in effect and will remain so unless otherwise modified in writing by NIJ.

Any questions regarding your laboratory status should be directed to the NIJ Compliance Testing Program by email at bactp@nijctp.org or by telephone at 984-439-5241, or to me by email at mark.greene2@usdoj.gov or by telephone at 202-598-9481.

Sincerely,

Mark Greene, Ph.D.
Office Director
Office of Technology and Standards
National Institute of Justice