



**U.S. Department of Justice**

Office of Justice Programs

*National Institute of Justice*

---

*Washington, D.C. 20531*

**NIJ Safety Notice #01-2025**

EFFECTIVE DATE: May 5, 2025

SUBJECT: ShotStop Ballistics, LLC model PA1RF1 ICW SLHIIIA

The National Institute of Justice (NIJ) hereby advises Shot Stop Ballistics, LLC ballistic-resistant body armor model PA1RF1 ICW SLHIIIA has been permanently removed from the NIJ Compliant Products List due to unresolved safety concerns. Any armors of this model designation should be replaced as soon as possible.

NIJ encourages law enforcement and corrections officers to continue to wear their body armor until it is replaced. Wearing armor that may have reduced effectiveness is better than not wearing any armor.

For further information, contact:

Criminal Justice Technology Testing & Evaluation Center (CJTTEC)  
P.O. Box 12194  
3040 East Cornwallis Road  
Hermann Building Room 216  
Research Triangle Park, NC 27709-2194  
(919) 485-2717  
Email : [askctp@nijctp.org](mailto:askctp@nijctp.org)

*Supplementary information*

More information on active NIJ Advisory Notices can be found at <https://cjttec.org/active-nij-advisory/>. For more information on the Patrick Leahy Bulletproof Vest Partnership go to <https://www.ojp.gov/program/bulletproof-vest-partnership/overview>.